



MATERIAL SAFETY DATA SHEET

IDENTIFICATION OF THE SUBSTANCE/PREPARATION & COMPANY UNDERTAKING

| | |
|---------------------|--|
| PRODUCT NAME | TRP-F |
| CATALOGUE CODE | THF03B2 |
| Address/ Phone No | Gen-Probe Life Sciences Ltd. 12 Blacklands Way Abingdon Business Park Abingdon Oxon OX14 1DY Tel : +44 (0) 1235 544220 e-mail: allan.swift@gen-probe.com |

INFORMATION ON COMPONENTS

| | |
|-------------------------|--|
| CONTENTS | A matched set of components of 2 vials of Reaction Mix and 1 vial DNA control material. |
| CAS No | None assigned for the product |
| EC No | None assigned for the product |
| Use | For the simultaneous <i>in vitro</i> quantitative detection of human factor V Leiden (R506Q), Prothrombin (factor II 20210A) and methylenetetrahydrofolate reductase (MTHFR C677T) in human whole blood. For professional use only. |
| HAZARDOUS INGREDIENT(S) | Listed below for each component |

**1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION
& COMPANY UNDERTAKING****COMPONENT NAME****REACTION MIX**

CATALOGUE CODE

THF03TA

Address/ Phone No

Gen-Probe Life Sciences Ltd.

12 Blacklands Way

Abingdon Business Park

Abingdon

Oxon OX14 1DY

United Kingdom

Tel : +44 (0) 1235 544220

e-mail: allan.swift@gen-probe.com

CONTENTS

Mixture of oligonucleotides covalently labelled with the fluorescent dyes
6-FAM, VIC, NED and PET in an aqueous buffer

2. HAZARDS IDENTIFICATION

From the latest amendments to the European Union Directives 67/548/EC, 1999/45/EC, 1907/2006; SI 2008 No 2852, OSHA 29CFR1910.1200 and the Commonwealth of Australia [NOHSC:1005, 1008(1999)] regulations, this component does not require a Material Safety Data Sheet (MSDS) as it does not contain more than 1% of a component classified as hazardous and do not contain more than 0,1% of a component classified as carcinogenic. Therefore Gen-Probe Life Sciences Ltd does not provide an MSDS for this component. However, when working with these or any chemical reagents, we always recommend the use of gloves, lab coats, and eye protection. Gen-Probe Life Sciences Ltd assumes no liability for damage resulting from handling or contact with these products.

**1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION
& COMPANY UNDERTAKING****COMPONENT NAME****DNA CONTROL**

CATALOGUE CODE

CR0002TX

Address/ Phone No

Gen-Probe Life Sciences Ltd.

12 Blacklands Way

Abingdon Business Park

Abingdon

Oxon OX14 1DY

United Kingdom

Tel : +44 (0) 1235 544220

e-mail: allan.swift@gen-probe.com

CONTENTS

Extracted DNA in an aqueous buffer

2. HAZARDS IDENTIFICATION

From the latest amendments to the European Union Directives 67/548/EC, 1999/45/EC, 1907/2006; SI 2008 No 2852, OSHA 29CFR1910.1200 and the Commonwealth of Australia [NOHSC:1005, 1008(1999)], regulations this component does not require a Material Safety Data Sheet (MSDS) as it does not contain more than 1% of a component classified as hazardous and do not contain more than 0,1% of a component classified as carcinogenic. Therefore Gen-Probe Life Sciences Ltd does not provide an MSDS for this component. However, when working with these or any chemical reagents, we always recommend the use of gloves, lab coats, and eye protection. Gen-Probe Life Sciences Ltd assumes no liability for damage resulting from handling or contact with these products.